



OMEGADEN LABORATORY

10, Jalan BK 9/2, Bandar Kinrara, 47180 Puchong, Selangor, Malaysia.

Tel: 603-8062 9100 / 9200 | Web: <http://www.omegaden.com/>

Email: omegadenlaboratory@gmail.com

No: _____

DR. _____

PATIENT'S NAME: _____

AGE: _____ MALE FEMALE

DATE SENT: _____

DATE WANTED: _____ AM PM

FIXED PROSTHESIS

MATERIALS

- ZIRCONIA MONOLITHIC
- ZIRCONIA MULTILAYERED MONOLITHIC
- PORCELAIN FUSED ZIRCONIA (PFZ)
- PORCELAIN FUSED METAL (PFM)
- E-MAX CAD / GLASS CERAMIC
- E-MAX PRESS
- PMMA
- FULL METAL
- PEEK
- TITANIUM
- OTHERS: _____


RESTORATION

- CROWN
- BRIDGE / SPLINTED CROWNS
- VENEER
- INLAY / ONLAY
- POST CORE
- MARYLAND
- OTHERS: _____

IMPLANT

- SCREW RETAINED
- CEMENT RETAINED
- BRAND: _____
- PLATFORM: _____

SPECIAL STAINING & TRANSLUCENT LAYER



18 17 16 15 14 13 12 11 | 21 22 23 24 25 26 27 28
 48 47 46 45 44 43 42 41 | 31 32 33 34 35 36 37 38

Upper _____ unit/s Lower _____ unit/s

OCCLUSAL STAINING


- NONE LIGHT MEDIUM HEAVY

GINGIVAL EMBRASURE

- CLOSE NATURAL OPEN

SHADE: _____




INDIVIDUAL CHARACTERISTICS






PONTIC DESIGN

- RIDGELAP 
- SANITARY 
- SADDLE 

PROXIMAL CONTACT

- NORMAL 
- BROAD 
- POINT 

METAL OCCLUSAL

- 
- 
- 

Attached with case:

- Study models
- Master models
- Impressions
- Bite
- Trays
- Shade guide
- Dentures
- Photo
- Misc